

#### Revision Date 06-Oct-2021

# SAFETY DATA SHEET

Version 7

## 1. IDENTIFICATION

Product identifier Product Name

Rain-X Anti-Fog

Other means of identification Product Code Document

15523 SKU: 630046, AF21106D, AF21212, 630063

Recommended use of the chemical and restrictions on useRecommended UseInterior glass anti-fog treatmentUses advised againstNo information available

Details of the supplier of the safety data sheetSupplier AddressManufacturer AddressITW Global Brands16200 Park Row, Suite 120Houston, TX 77084Distributor

Manufactured and Distributed by:

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

 Company Phone Number
 1-855-888-1988

 24-hour emergency phone number
 (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

 (RMPDC) 1-877-504-9352 (U.S.)
 (U.S.)

E-mail address: SDS@itwgb.com

#### 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


| Serious eye damage/eye irritation | Category 2 |
|-----------------------------------|------------|
| Flammable liquids                 | Category 3 |

#### Label elements

**Emergency Overview** 

#### Signal word Warning

Causes serious eye irritation Flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground and bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use non-sparking tools Take action to prevent static discharges

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam to extinguish.

#### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Not applicable

Other Information Not applicable.

Unknown acute toxicity

2 % of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name      | CAS No     | Weight-% |
|--------------------|------------|----------|
| ISOPROPYL ALCOHOL  | 67-63-0    | 7 - 13   |
| DIPROPYLENE GLYCOL | 34590-94-8 | 3 - 7    |
| MONOMETHYL ETHER   |            |          |

#### 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** 

Get medical advice/attention if you feel unwell.

| Eye contact  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |  |
|--|--|--|
| Skin contact   | IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.<br>Take off contaminated clothing and wash before reuse.  |  |
| Inhalation   | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.  |  |
| Ingestion  | IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.  |  |
| Self-protection of the first aider   | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.  |  |
| Most important symptoms and effe   | cts, both acute and delayed  |  |
| Symptoms   | See section 2 for more information.  |  |
| Indication of any immediate medical attention and special treatment needed |  |  |
| Note to physicians   | Treat symptomatically.   |  |
|  | 5. FIRE-FIGHTING MEASURES  |  |
| Suitable extinguishing media   |  |  |

Dry chemical, CO2, sand, earth, water spray or regular foam

#### Unsuitable extinguishing media None

#### Specific hazards arising from the chemical

Flammable.

# Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeMay be ignited by heat, sparks or flames.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

| Personal precautions              | Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas.<br>Avoid contact with eyes and skin. Use personal protective equipment as required. |  |
|-----------------------------------|--|--|
| Environmental precautions         |  |  |
| Environmental precautions         | See section 12 for additional ecological information.  |  |
| Methods and material for containm | ent and cleaning up  |  |
| Methods for containment           | Prevent further leakage or spillage if safe to do so.  |  |
| Methods for cleaning up           | Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.  |  |

| Prevention of secondary hazards                              | Clean contaminated objects and areas thoroughly observing environmental regulations.   |  |
|--|--|--|
|  | 7. HANDLING AND STORAGE  |  |
| Precautions for safe handling                                |  |  |
| Advice on safe handling                                      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Use personal protective equipment as required. |  |
| Conditions for safe storage, including any incompatibilities |  |  |
| Storage Conditions   | Keep in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Keep out of the reach of children.  |  |
| Incompatible materials                                       | Strong bases, Strong oxidizing agents  |  |

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

| Chemical name      | ACGIH TLV     | OSHA PEL                               | NIOSH IDLH                   |
|--------------------|---------------|--|------------------------------|
| ISOPROPYL ALCOHOL  | STEL: 400 ppm | TWA: 400 ppm                           | IDLH: 2000 ppm               |
| 67-63-0            | TWA: 200 ppm  | TWA: 980 mg/m <sup>3</sup>             | TWA: 400 ppm                 |
|                    |               | (vacated) TWA: 400 ppm                 | TWA: 980 mg/m <sup>3</sup>   |
|                    |               | (vacated) TWA: 980 mg/m <sup>3</sup>   | STEL: 500 ppm                |
|                    |               | (vacated) STEL: 500 ppm                | STEL: 1225 mg/m <sup>3</sup> |
|                    |               | (vacated) STEL: 1225 mg/m <sup>3</sup> |                              |
| DIPROPYLENE GLYCOL | STEL: 150 ppm | TWA: 100 ppm                           | IDLH: 600 ppm                |
| MONOMETHYL ETHER   | TWA: 100 ppm  | TWA: 600 mg/m <sup>3</sup>             | TWA: 100 ppm                 |
| 34590-94-8         | S*            | (vacated) TWA: 100 ppm                 | TWA: 600 mg/m <sup>3</sup>   |
|                    |               | (vacated) TWA: 600 mg/m <sup>3</sup>   | STEL: 150 ppm                |
|                    |               | (vacated) STEL: 150 ppm                | STEL: 900 mg/m <sup>3</sup>  |
|                    |               | (vacated) STEL: 900 mg/m <sup>3</sup>  | -                            |
|                    |               | (vacated) S*                           |                              |
|                    |               | S*                                     |                              |

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

| Individual protection measures, subscription protective equipmentEye/face protectionWear safety glasses or goggles if splashing is likely to occur.Skin and body protectionWear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.Respiratory protectionEnsure adequate ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas. Sufficient ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas. In case of insufficient ventilation, especially in confined areas.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment. | Engineering Controls               | Showers<br>Eyewash stations<br>Ventilation systems                       |
|--|------------------------------------|--|
| Skin and body protectionWear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.Respiratory protectionEnsure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice. Regular cleaning of   | Individual protection measures, su | ch as personal protective equipment                                      |
| Respiratory protectionEnsure adequate ventilation, especially in confined areas. In case of insufficient ventilation,<br>wear suitable respiratory equipment.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice. Regular cleaning of  | Eye/face protection                | Wear safety glasses or goggles if splashing is likely to occur.          |
| General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice. Regular cleaning of   | Skin and body protection           | Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves. |
| <b>JO JO JO JO JO JO</b>   | Respiratory protection             |  |
|  | General Hygiene Considerations     |  |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| 9.1. Information on basic physica |                          |                      |
|-----------------------------------|--------------------------|----------------------|
| Physical state                    | Liquid                   |                      |
| Appearance                        | Clear liquid             |                      |
| Odor                              | Alcohol                  |                      |
| Odor threshold                    | No information available |                      |
| Property                          | Values                   | Remarks • Method     |
| рН                                | 6.0                      |                      |
| Melting point / freezing point    | No information available |                      |
| Boiling point / boiling range     | No information available |                      |
| Flash point                       | 35 °C / 95 °F            | Setaflash Closed Cup |
| Evaporation rate                  | No information available |                      |
| Flammability (solid, gas)         | No information available |                      |
| Flammability Limit in Air         |                          |                      |
| Upper flammability limit:         | No information available |                      |
| Lower flammability limit:         | No information available |                      |
| Vapor pressure                    | No information available |                      |
| Vapor density                     | No information available |                      |
| Relative density                  | 0.99                     |                      |
| Water solubility                  | No information available |                      |
| Solubility(ies)                   | No information available |                      |
| Partition coefficient             | No information available |                      |
| Autoignition temperature          | No information available |                      |
| Hyphen                            | No information available |                      |
| Kinematic viscosity               | No information available |                      |
| Dynamic viscosity                 | No information available |                      |
| Explosive properties              | No information available |                      |
| Oxidizing properties              | No information available |                      |
| Other Information                 |                          |                      |
| Softening point                   | No information available |                      |
| Molecular weight                  | No information available |                      |
| Density                           | 8.25                     |                      |
| Bulk density                      | No information available |                      |
| SADT (self-accelerating           | No information available |                      |
| decomposition temperature)        |                          |                      |
| · · · ·                           |                          |                      |

#### **10. STABILITY AND REACTIVITY**

Reactivity Stable under normal use

<u>Chemical stability</u> Stable under normal conditions

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks. Temperatures >50 °C / 122 °F.

#### Incompatible materials Strong bases, Strong oxidizing agents

### **Hazardous Decomposition Products**

Carbon oxides

#### **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

| Inhalation   | May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. |
|--------------|---|
| Eye contact  | Contact with eyes may cause irritation. May cause redness and tearing of the eyes.  |
| Skin contact | May cause skin irritation and/or dermatitis.  |
| Ingestion    | Potential for aspiration if swallowed. Ingestion may cause irritation to mucous membranes.  |

| Chemical name      | Oral LD50          | Dermal LD50           | Inhalation LC50      |
|--------------------|--------------------|-----------------------|----------------------|
| ISOPROPYL ALCOHOL  | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | > 10000 ppm (Rat)6 h |
| 67-63-0            |                    |                       |                      |
| DIPROPYLENE GLYCOL | = 5.35 g/kg (Rat)  | = 9500 mg/kg (Rabbit) | -                    |
| MONOMETHYL ETHER   |                    |                       |                      |
| 34590-94-8         |                    |                       |                      |

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization            | No informatio                | n available.                 |                           |                           |
|--------------------------|------------------------------|------------------------------|---------------------------|---------------------------|
| Germ cell mutagenicity   | No informatio                | n available.                 |                           |                           |
| Carcinogenicity          | The table bel                | ow indicates whether each    | agency has listed any ing | gredient as a carcinogen. |
| Chemical name            | ACGIH                        | IARC                         | NTP                       | OSHA                      |
| ISOPROPYL ALCOHOL        | -                            | Group 3                      | -                         | X                         |
| 67-63-0                  |                              |                              |                           |                           |
|                          | ency for Research on Cance   | r)                           |                           |                           |
| Group 1 - Carcinogenic t |                              |                              |                           |                           |
|                          | afety and Health Administrat | tion of the US Department of | f Labor)                  |                           |
| X - Present              |                              |                              |                           |                           |
| Target organ effects     | Central nervo                | ous system, Eyes, Respirat   | ory system, Skin.         |                           |
| The following values are | e calculated based on cha    | apter 3.1 of the GHS docu    | Iment                     |                           |

| ATEmix (oral)                 | 15817 mg/kg |
|-------------------------------|-------------|
| ATEmix (dermal)               | 33445 mg/kg |
| ATEmix (inhalation-dust/mist) | 726 ma/l    |

#### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

2 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

#### No information available.

#### Bioaccumulation

No information available.

#### <u>Mobility</u>

Disperses in water.

| Chemical name                                     | Partition coefficient |
|---|-----------------------|
| ISOPROPYL ALCOHOL<br>67-63-0                      | 0.05                  |
| DIPROPYLENE GLYCOL MONOMETHYL ETHER<br>34590-94-8 | -0.064                |

#### Other adverse effects

No information available

#### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

| Disposal of wastes     | Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). |
|------------------------|---|
| Contaminated packaging | Do not reuse container.   |
| US EPA Waste Number    | Not applicable  |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name     | California Hazardous Waste Status |
|-------------------|-----------------------------------|
| ISOPROPYL ALCOHOL | Toxic                             |
| 67-63-0           | Ignitable                         |

#### **14. TRANSPORT INFORMATION**

| DOT<br>UN/ID No<br>Proper shipping name<br>Transport hazard class(es)<br>Packing Group                | UN 1987<br>(Alcohols, N.O.S.), Limited Quantity (LQ)<br>3<br>III |
|---|--|
| IATA<br>UN number or ID number<br>Proper shipping name<br>Transport hazard class(es)<br>Packing group | UN 1987<br>(Alcohols, N.O.S.), Limited Quantity (LQ)<br>3<br>III |
| IMDG<br>UN number or ID number<br>Proper shipping name<br>Transport hazard class(es)<br>Packing Group | UN 1987<br>(Alcohols, N.O.S), Limited Quantity (LQ)<br>3<br>III  |

| International Inventorie | <u>S</u> |  |
|--------------------------|----------|--|
| TSCA                     | Complies |  |
| DSL/NDSL                 | Complies |  |
| EINECS/ELINCS            | Complies |  |
| ENCS                     | Complies |  |
| IECSC                    | Complies |  |
| KECL                     | Complies |  |
| PICCS                    | Complies |  |
| AICS                     | Complies |  |

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name                                    | SARA 313 - Threshold Values % |
|--|-------------------------------|
| ISOPROPYL ALCOHOL - 67-63-0                      | 1.0                           |
| DIPROPYLENE GLYCOL MONOMETHYL ETHER - 34590-94-8 | 1.0                           |
| SARA 311/312 Hazard Categories                   |                               |
| Acute health hazard                              | No                            |
| Chronic Health Hazard                            | No                            |
| Fire hazard                                      | Yes                           |
| Sudden release of pressure hazard                | No                            |
| Reactive Hazard                                  | No                            |

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals U.S. State Right-to-Know Regulations\_\_\_\_

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

B2 - Flammable liquid, D2B - Toxic materials

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| NFPA | Health hazards 2 | Flammability 3  | Instability 0       | -                     |
|------|------------------|-----------------|---------------------|-----------------------|
| HMIS | Health hazards 2 | Flammability 3  | Physical hazards 0  | Personal protection B |
|      | Health Hazarus Z | Fiaminability 5 | Filysical hazalus 0 | Personal protection B |

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

| Revision Date | 06-Oct-2021 |
|---------------|-------------|
| Revision Note |             |

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

4

**End of Safety Data Sheet**