

Revision Date 06-May-2020

SAFETY DATA SHEET

Version 1

1. IDENTIFICATION

Product identifier Product Name

Rain-X Glass Water Repellent Aerosol

Other means of identification Product Code Document

620255 630168; 630168W

Recommended use of the chemical and restrictions on useRecommended UseAerosol Water repellentUses advised againstNo information available

Details of the supplier of the safety data sheetSupplier AddressManufacturer AddressITW Global Brands16200 Park Row, Suite 120Houston, TX 77084Distributor

Manufactured and Distributed by:

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

 Company Phone Number
 1-855-888-1988

 24-hour emergency phone number
 1

 (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)
 1

 (RMPDC) 1-877-504-9352 (U.S.)
 1

E-mail address: SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Germ cell mutagenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

Label elements

Emergency Overview

Signal word	
Danger	
Causes serious eve irritation	
May cause genetic defects	
May cause respiratory irritation	
May cause drowsiness or dizziness	
Extremely flammable aerosol	
Contains gas under pressure; may explode if heated	



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropanol	67-63-0	40 - 70
Acetone	67-64-1	10 - 30
Liquefied Petroleum Gas	68476-86-8	7 - 13

4. FIRST AID MEASURES

Description of first aid measures

General advice

Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.				
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.				
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.				
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.				
Most important symptoms and effe	cts, both acute and delayed				
Symptoms	See section 2 for more information.				
Indication of any immediate medica	al attention and special treatment needed				
Note to physicians	Treat symptomatically.				
	5. FIRE-FIGHTING MEASURES				
Suitable extinguishing media Carbon dioxide (CO2), Use dry chemi	ical, Foam				
<u>Unsuitable extinguishing media</u> None					
Specific hazards arising from the c None in particular.	<u>hemical</u>				
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.				
Protective equipment and precaution As in any fire, wear self-contained bree protective gear.	ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective ed	quipment and emergency procedures				
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.				
Environmental precautions					
Environmental precautions	See Section 12 for additional Ecological Information.				
Methods and material for containm	ent and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.				

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

into suitable containers for disposal. Use personal protective equipment as required.

7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible materials	Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	-
Acetone	STEL: 500 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 250 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	
		(vacated) STEL: 2400 mg/m ³	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors.	
		(vacated) STEL: 1000 ppm	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties				
Physical state Extremely flammable ae				
Appearance	Clear Concentrate			
Odor	No information available			

Color Odor threshold	Colorless No information available	
Property	Values	Remarks • Method
pH	No information available	<u>Romanic motified</u>
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	-104 °C / -155 °F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
lammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
apor pressure	No information available	
apor density	No information available	
elative density	No information available	
/ater solubility	No information available	
olubility(ies)	No information available	
artition coefficient	No information available	
utoignition temperature	No information available	
ecomposition temperature	No information available	
inematic viscosity	No information available	
ynamic viscosity	No information available	
xplosive properties	No information available	
xidizing properties	No information available	
ther Information		
oftening point	No information available	
lolecular weight	No information available	
OC content	<75	
ensity	No information available	
ulk density	No information available	
ADT (self-accelerating	No information available	
decomposition temperature)		
,		

10. STABILITY AND REACTIVITY

Reactivity

No information available

<u>Chemical stability</u> Stable under normal conditions

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.					
Skin contact	May cause sl	May cause skin irritation and/or dermatitis.				
Ingestion	Ingestion ma	y cause irritation to muco	ous membranes.			
Chemical Name	Oral LDS	0 C	Dermal LD50	Inhalation LC50		
sopropanol 67-63-0	= 1870 mg/kg	(Rat) = 4059	9 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h		
Acetone 67-64-1	= 5800 mg/kg	(Rat) > 1570	0 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat) 8 h		
Information on toxicologica	l effects					
Symptoms	No information	n available.				
Delayed and immediate effe	ects as well as chronic	effects from short and	d long-term exposur	e		
Sensitization	No information	n available.				
Germ cell mutagenicity	No information	No information available.				
Carcinogenicity	The table bel	ow indicates whether ea	ch agency has listed	any ingredient as a carcinogen		
Chemical Name	ACGIH	IARC	NTP	OSHA		
Isopropanol	_	Group 3	-	Х		

Isopropanol 67-63-0

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present Target Organ Effects

Effects Central nervous system, Eyes, Respiratory system, Skin.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	16906 mg/kg
ATEmix (dermal)	5735 mg/kg
ATEmix (inhalation-dust/mist)	397.6 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.117 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
Isopropanol 67-63-0	0.05
Acetone 67-64-1	-0.24
Liquefied Petroleum Gas 68476-86-8	<=2.8

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	No information available

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropanol	Toxic
67-63-0	Ignitable
Acetone	Ignitable
67-64-1	

14. TRANSPORT INFORMATION

UN/ID No Proper shipping name Hazard Class	UN 1950 Aerosols, Flammable, Limited Quantity (LQ) 2.1
IATA Proper shipping name	Do Not Ship By Air
IMDG UN/ID No Proper shipping name Hazard Class	UN 1950 Aerosols, Flammable, Limited Quantity (LQ) 2.1

15. REGULATORY INFORMATION

Complies
Complies
Complies
Does not comply
Complies
Does not comply
Complies
Complies

Legend:

DOT

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Value	es %
Isopropanol - 67-63-0	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetone	5000 lb	-	RQ 5000 lb final RQ
67-64-1			RQ 2270 kg final RQ
US State Regulations			

California Proposition 65

This product does not contain any Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropanol 67-63-0	X	Х	Х
Acetone 67-64-1	X	Х	Х
Methanol 67-56-1	X	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Instability 0
Health hazards 2	Physical hazards 0	Personal protection B

HMIS

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 06-May-2020

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet